



BRITISH DESIGNED



GERMAN ENGINEERED



GLOBAL SUPPLY

**ONE IMAGING PLATFORM,
DRIVES ALL OF YOUR ENDOSCOPY**



Why should you INVEST IN MED EQUUS?

5 Year Warranty backed up with Premium Service
16 Years of Reputation and Relationships
1,300+ Pieces of Equipment supplied Worldwide

What is OUR ETHOS?

“—
| Trust, relationships, reputation

—” — *Martin Davies*
Owner & Founder



SO... WHY CHOOSE US?

- 1** Full range of portable battery endoscopes for both on the road and at the clinic.
- 2** 16 years reputation built on trust & strong relationships with our veterinary partners.
- 3** Comprehensive, optional service plans with a fast service and repair turnaround.
- 4** “Speak to a person”. Contact one of our knowledgeable team members.
- 5** In-depth after-sales training - E-Learning, zoom and in-person.
- 6** British Innovation and Design with German engineering.

Servicing WORLDWIDE



Designed in Britain - Britain is home to our main office, where we design, repair, and dispatch new equipment to practices globally.



Manufactured in Germany - Germany is where we manufacture our scopes, and it also houses one of our service centres.



American Service Centre - We now have a dedicated service centre in Atlanta to provide support across North America and Canada.



American Service
Centre



Designed in
Britain



Manufactured in
Germany

1 5 Year Warranty - we provide a 5 year warranty with all our equipment.

2 Guaranteed Loaners - to protect your revenue stream.

3 Fastest Service and Repair Turnaround in the Industry

4 3 Optional Service Plans - service plans to suit your budget and clinical case load



MEDVIEW DYNAMIC



medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment
all work together for maximum
interchangeability.

medview DYNAMIC

NARROWEST DYNAMIC ON THE MARKET

The MEDView Dynamic scope, designed with extensive veterinary feedback, holds the distinction of being the narrowest on the market.

5 YEAR
WARRANTY



9mm diameter

- ✓ gives the best representation of true pathology



Titanium "semi-flex"

- ✓ optimum scope stability at maximum speed



Custom bridle & saddle pad

- ✓ for all horse types & disciplines



Non head-mounted system

- ✓ comfort for the horse with normal riding position



Automatic flush with post-flush aspiration software

- ✓ no persistent bubble in the video



Remote viewer

- ✓ up to 700m range, live view on viewing platform



In-built GPS software

- ✓ characterise pathology at specific velocity, altitude, distance

“What sets the MED Equus Dynamic system apart is the endoscope's small diameter and outstanding image quality. These features, combined with the impressive craftsmanship of the tack and exceptional customer service, make MED Equus the obvious choice.”

DR CHRIS GROSSENBACHER DVM | GROSSENBACHER EQUINE SERVICES



Racehorse



Sports Horse



Standardbred



Western Horse



Veterinary FEEDBACK

"The 4-way angulation of the endoscope and reliable flushing system ensure a superior diagnostic video in every exam."

"Our previous system was much heavier and cumbersome to use, and only provided 2 way angulation. Very big or small horses were challenging to examine because of the length and the diameter of the scope."

"The image stability with such a narrow scope is unrivalled, it's very well tolerated by racehorses"

"The small diameter and the length of the scope ensure that exams are possible on all breeds of horses and disciplines."

"The equipment is lightweight and easy to use on any horse. Patients can be saddled and ready for the exam within 15 minutes."

"It's really great to show the trainer instantly on the iHub, I just take the USB out the dynamic capture and plug it straight in"

"It's important for me that the horse works in it's normal tack to properly assess any performance issue, the MEDView dynamic is the only system that fully allows this across multiple disciplines"

Ridden Pad



Trotter Pad



Western Pad



medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment
all work together for maximum
interchangeability.

MEDVIEW DV GASTRO



medview DV GASTRO

LIGHTWEIGHT, PORTABLE & BATTERY-POWERED

The MEDView DV Gastroscope, with its 6-hour battery life and portability, has enabled veterinarians to increase profitability by performing more examinations in less time while out on the road.

5 YEAR
WARRANTY



Time-saving system

✓ set up, examine and clean in under 20 minutes.



Split screen comparisons

✓ "Live" feed against a previous examination.



Stomach tube compatible

✓ 11mm outer diameter, 0% chance of chewed scope.



Up to 6 hours battery life

✓ 10 horses examined on 2 batteries



Portable and lightweight

✓ hand luggage size and weight



Single-handed driving

✓ can pass and drive the scope independently



Interchangeable

✓ use in clinic and on the road



Biosecurity

✓ 5 minute on-yard disinfection

“
The best thing we've ever purchased! We only invest in equipment that is able to deliver clinical excellence in the most ambulatory of environments.
”


MR RICK FARR BVSC BSC MRCVS | FARR & PURSEY EQUINE VETS





MEDVIEW DV GASTRO

LIGHTWEIGHT, PORTABLE & BATTERY-POWERED



Real-time split screen



MEDView DV Gastro - Technical Specification

Diameter	11mm
Working Length	3.3m
Working Channel	2.8mm
Battery Life	6 hours, mains power back up supply
Portable battery accessories	Battery insufflator and battery suction pump

Weight	9kg (including case)
Software	MEDVos
File format	JPEG/MPEG4
Angulation	4 way U:140 D:140 L:110 R:110
Wifi & Bluetooth	Built in

MEDVIEW DV3 AIRWAY



medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment
all work together for maximum
interchangeability.

medview DV3 AIRWAY

A STATE-OF-THE-ART, TITANIUM-TIPPED, LASER COMPATIBLE AIRWAY SCOPE

The most feature-rich and high-performance airway scope in our collection is suitable for both road and clinic-based veterinarians. It offers superb image quality, durability, and exceptional performance.

5 YEAR
WARRANTY

Robust, easy to use, simplistic design, portable, laser compatible, attention to detail, fit everything into one box.

MR PHIL CRAMP BVM&S DIPECVS MRCVS | HAMBLETON EQUINE CLINIC



9mm diameter

- ✓ low chance of epistaxis



Laser compatible

- ✓ titanium distal tip with infrared optical filter



2.8mm working channel

- ✓ positioned at 6 o'clock



Gold standard videos

- ✓ for surgery, sales and routine vet work



4 way deflecting

- ✓ easily obtain OPTIMAL position



1.6m working length

- ✓ easily reach the tracheal bifurcation



Biosecurity

- ✓ 5 minute on-yard disinfection





MEDVIEW DV3 AIRWAY

LASER COMPATIBLE, PORTABLE, PREMIUM QUALITY



MEDView DV3 Airway - Technical Specification

Diameter	9mm
Working Length	1.6m
Working Channel	2.8mm
Battery Life	6 hours, mains power back up supply
Portable battery accessory	Battery insufflator for uterine work

Weight	9kg (including case)
Software	MEDVos
File format	JPEG/MPEG4
Angulation	4 way U:140 D:110 L:110 R:110
Wifi & Bluetooth	Built in

LEONARDO DIODE LASER

Leonardo DUAL 45

The MEDView Scopes are fully compatible with the Leonardo Diode Laser

THE MOST USER FRIENDLY LASER ON THE MARKET

“ Having variable settings is incredibly useful because we primarily treat melanomas and sarcoids across a wide range of anatomical areas, tissue densities, and lesion sizes. The flexibility allows us to tailor the power output precisely for each surgical site. We've had very few bleeders using this laser, but having the haemostasis setting gives you peace of mind should you need it.

KATHY DUNCAN BVMS DIPECVS MRCVS | HEATH EQUINE VETS

5 YEAR WARRANTY



45 Watt

✓ increased power output to 45W



Dual Wavelength

✓ quicker and cleaner cut during surgery



Adjustable

✓ modes for airway and skin applications



Lifespan average 10 years

✓ protecting your revenue stream



Unique haemostasis setting

✓ for vessel sealing intra-operatively



Adjustable aiming beam colour

✓ red, green or no colour



PRE-PROGRAMMED SETTINGS

SARCOID 1

Precise setting for removal of sarcoids from ears, near eyes and vascular areas.

SARCOID 2

Precise setting for de-bulking sarcoids/melanomas.

HAEMOSTASIS

Enhanced setting to stop bleeding.

SCARIFY

Optional reduced power setting to scarify the area.

AIRWAY RECOMMENDATIONS

The combination wavelength gives the surgeon FULL FLEXIBILITY when carrying out intricate airway procedures.

Leonardo 45W Surgical Diode Laser - Technical Specification

Wavelength Combination 980nm & 1470nm

Power 45 WATTS

Fibre diameter 600 micron

Aiming beam No colour, green & red. User controlled intensity

Treatment mode Continuous & pulse

Pulse duration 0.01 - 0.60sec / 0.01 - 0.60sec

Power supply 110 -24-VAC, 50/60Hz, 450VA

Dimensions 28cm x 37cm x 9cm

Includes Laser fibres, x4 clear laser goggles, foot switch & cable, remote interlock, ceramic scissors, laser warning sign

Weight 8.5kg

MEDVIEW DV2 PRO AIRWAY



medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment
all work together for maximum
interchangeability.

medview DV AIRWAY

THE SALES REPOSITORY SCOPE OF CHOICE WORLDWIDE

The MEDView DV2 Pro is the market leader, providing high-quality sales videos to repositories worldwide. The MEDView DV2 Pro is equipped with integrated microchip reading functionality, setting a new standard for the repository market.

5 YEAR
WARRANTY

“
“The scope is so easy to use & to clean, the image quality is superb and perfect size for flying or in the car!
The loan replacement was delivered immediately - best service we've ever had!”
”

DR INGRID HORNIG | TIERÄRZTLICHES KOMPETENZZENTRUM
KARTHAUS



9mm diameter

✓ low chance of
epistaxis



Battery life

✓ 6 hours of
battery life



Gold standard videos

✓ for surgery, sales &
routine vet work



4 way deflecting

✓ easily obtain
OPTIMAL position



Biosecurity

✓ 5 minute on-yard
disinfection



Up to 1.6m length

✓ custom working lengths
for all disciplines



Bluetooth software

✓ in-built Bluetooth
microchip functionality





VET FEEDBACK...

"There is now significantly less equipment around the horse, and images and videos are easily saved and transferred. This scope has fulfilled all our requirements!"

**MR IAN CAMERON BVM&S CertEM(StudMed)
MRCVS | ROSSDALES VETERINARY SURGEONS**

MEDView DV2 Pro Airway- Technical Specification

Diameter	9mm
Working Length	1.6m
Working Channel	2.8mm
Storage & Battery life	26GB with usb function, 6 hrs battery life
Included	2 x batteries, back up power supply, carry case & neck strap

Weight	6kg (including case)
Software	MEDVos
File format	JPEG/MPEG4
Angulation	4 way U:140 D:140 L:110 R:110
Wifi & Bluetooth	Built in

MEDVIEW DV DENTAL



medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment all work together for maximum interchangeability.

medview DV DENTAL

THE FIRST OF ITS KIND

The MEDView DV Dental, with a light output of 50 lumens, is the brightest on the market. Coupled with a 70-degree angle of view, a 90-degree field of view, and a flush channel, this endoscope stands out as the market leader.

“The scope is very versatile in that the bright/ dark area function can be used for different clinical applications; the dark area function gives a real boost of light and gives more definition for looking deep into infundibular cavities or extraction sockets. It's the only oroscope on the market with an integrated flush.”

MR PETE RAVENHILL BVSC CERTEM(STUDMED) MRCVS | EQUINE DENTAL VET



50 lumen light output

✓ brightest on the market, auto adjustable settings



70 degree angle view

✓ optimum view of upper & lower arcades



Bright/ dark area function

✓ maximise what you can see



Integrated flush

✓ no more wiping the end of the scope



320 degree rotation

✓ fingertip, high degree of manoeuvrability



Auto-focus

✓ no need to change settings



90 degree field of view

✓ optimal diagnostic view





CUSTOMER FEEDBACK...

"Very portable for on-yard use with the special scope holders, or in the clinic on a big screen with HDMI output. Transferring raw images to my Pimbury app wirelessly is something other systems won't do. Very robust."

Mr Pete Ravenhill BVSc CertEM(StudMed)
MRCVS | Equine dental vet



MEDView DV Dental - Technical Specification

Field of View 90 degree

Angle of View 70 degree

Rotation 320 degree

Depth of focus 10mm - ∞

Outer diameter 10mm

Image quality HD

Lumen (light output) Twin LED, 50 lumen

Camera Auto focusing

Power supply Battery/mains

Frame rate 50 fps

medview

WIRELESS PORTABLE ENDOSCOPY

The MEDView Scopes & Equipment
all work together for maximum
interchangeability.

MEDVIEW DV2-X AIRWAY



THE MEDVIEW ENTRY-LEVEL AIRWAY SCOPE

The MEDView DV2-X is perfect if you're looking for an entry-level scope that doesn't compromise on build quality or long-term durability.

medview DV2-X

5 YEAR
WARRANTY



9mm diameter

✓ lower risk of epistaxis



Battery Life

✓ 6 hours of charge



Portable & lightweight

✓ perfect for on the road
vets & sales



4 way deflecting

✓ easily obtain
OPTIMAL position



Biosecurity

✓ 5 minute on-yard
disinfection

Easy guttural pouch entry

Car USB charger

“Great bit of kit... we can easily do tracheal washes and assess larynx's. We work with a mix of racehorses, competition, and leisure horses. This scope allows us to perform these tasks and provide instant diagnoses.”

DR PATRICK JOPLING BVSC MRCVS |
HAMBLETON EQUINE CLINIC

MEDView DV2-X Airway - Technical Specification

Diameter	9mm
Working Length	1.6m
Working Channel	2.8mm
Battery Life	5-6 hours will run off power bank/USB power whilst charging
Charging	USB or power bank Charging time - 12hrs

Weight	4.9kg (including case)
Software	MEDVos Lite
File format	JPEG/MPEG4
Angulation	4 way U:160 D:140 L:110 R:110
Data Transfer	No Wifi, USB transfer

MEDVIEW iHUB

THE IMAGING PLATFORM FOR ROAD & HOSPITAL VETS

The MEDView iHUB is our battery-powered, portable endoscopy screen. It runs on the MEDVoS operating system and is compatible with the MEDView Dynamic, DV Gastro, DV3 Airway, and Dental Scopes.

medvos
SMART
INNOVATIVE
SOFTWARE

Split screen comparison



Interchangeable
between scopes



Instant WhatsApp/Wifi
sharing



Split screen comparisons



Seamless integration

“ We only invest in equipment that can deliver clinical excellence in the most ambulatory of environments. Cross-platform data access, portability, battery-powered, compact, and easy to use 'in the field' are all prerequisites for any of our purchases. ”

MR RICK FARR BVSc BSc MRCVS | FARR & PURSEY EQUINE VETS



NEED A BIGGER SCREEN!?



Optional HDMI Output

HAICO TELGTE II



 **haico**
Original Green Quality

The Haico Telgte II has excellent build quality allowing ease of use, safety and function, with maximum load of 1200kg. Extreme versatility provided by multi-functional limb supports, an extensive range of accessories, with stepless locking of the side and head panels, allowing adjustability of the panels to a mm.

MED Equus is the exclusive distributor of Haico tables within the UK and Ireland.

“
What I like most about the Haico tables is the sense of weightlessness. Even with a 700 kg horse on the table, it is easy to move the horse and table, easy to adjust the panels, and to alter the table height. I would highly recommend the table! Also, the extra supports allow you to position the horse and limbs in almost any configuration.

DR. JESSICA KIDD DVM BA CERTES(ORTH) DIPECVS MRCVS |
JESSICA KIDD CONSULTANT EQUINE SURGEON



Excellent build quality

- ✓ allows ease of use, safety and function



Maneuverability

- ✓ sense of weightlessness, easy to move



Extreme versatility

- ✓ position the horse and limbs in almost any configuration with multiple different limb supports



Maximum load


- ✓ up to 1200kg



Cable free electric unit

- ✓ low 12V voltage





VET FEEDBACK...

“The table is also sealed and therefore self-contained and easy to clean after surgery. MED Equus give exceptional service. On site tutorials for new equipment are invaluable!!”

Haico Telgte II Technical Specification

Table Dimensions	290x140cm (ext. length 340cm)
Head support	90x100cm
Weight	470kg
Lifting time	30 seconds
Operating voltage	12V

Battery charging time	6 hours
Full battery	50-100 lifts

Table max load weight	1200kg
------------------------------	--------


Adjustability	
Maximum height:	112cm
Minimum height:	32cm
Pelvic angle:	+/-25 degrees
Head support:	+/- 25 degrees

DEDICATED TO QUALITY, CUSTOMER SERVICE &
INNOVATION

WE FIND A SOLUTION, CREATE A CONCEPT & DEVELOP AN END PRODUCT

3 IN 1 SCOPE BOX

Gastroscope, DV3 Airway & Dynamic in 1 Peli



“ ———
“Wouldn't it be great if I could fit all my scopes
in one peli for when I travel. Is that possible?”
————— ”

- DR EMMANUELLE VAN ERCK PHD, ECEIM & ECVSMR I
EQUINE SPORTS MEDICINE PRACTICE

In-house innovative design

New dynamic viewing platform



THE MED EQUUS DIFFERENCE

OUTSTANDING SERVICE | TRAINING | EDUCATION

Supporting and participating in annual CPD events



We provide 1-1 in-person or telemedicine training to help you get the most out of your equipment



A wealth of knowledge and expertise goes into our committed after sales and refresher training

**A GLOBAL COMPANY WITH A LOCAL FEEL.
WE PRIDE OURSELVES ON OUR BESPOKE &
DEDICATED SERVICE.**

“

A RARITY IN EQUINE EQUIPMENT

"We feel that MED Equus offers kit that is at the top of the market, it's strong, reliable and proves itself to do everything it says it's going to do - they're just the logical choice to go with."

PHIL CRAMP BVM&S DipECVS MRCVS | HAMBLETON EQUINE

”



GURANTEED LOAN EQUIPMENT IN 48 HOURS WORLDWIDE



Dr. Lucy Rudd MRCVS



At MED Equus, we build long-term relationships with our vets through expertise, reputation, integrity and professionalism at every opportunity



HERE TO HELP YOU

FINANCE OPTIONS AND RENTAL

Stating out on your own or need some business advice? We've got your covered.

We now offer finance and rental options on our equipment, subject to full credit approval - Full T&C's available on request.



FCA approved



Finance and rental options

5 YEAR WARRANTY ON ALL OUR PRODUCTS

3 years longer than any other endoscope provider in the industry.

Designed to perform, manufactured to last.

5 YEAR WARRANTY



MAKE YOUR LIFE EASIER

The revolutionary set-up, exam and clean time, as well as the interchangeability and cross-platform accessibility, makes the MEDView range superior equipment for the equine veterinary market.

DEDICATED CUSTOMER SERVICE

Speak to a person!
Our dedicated customer service team are here to help 5 days a week via Whatsapp, email or phone.



“The service provided by MED Equus is invaluable from every aspect, they are always at the end of the phone and we can always contact them if we have any issues. The hands-on training sessions for all of our vets have just been fantastic!”

MISS MERETE HASS BVSc CertAVP(EL) MRCVS | HEATH EQUINE VETS



Which of our SERVICE PLANS suit you?

FASTEST REPAIR AND SERVICE TURNAROUND IN THE INDUSTRY

YOUR NEW EQUIPMENT COMES WITH...

We now provide a 5-year warranty with our equipment and offer Premium & Standard service plans.

Choose a service plan and register with the MED Equus team, or ensure your equipment is serviced every 12 months to qualify for your 5-year warranty.



PROFESSIONAL & UNDERSTAND OUR NEEDS

"Not only are MED Equus professional and understand our needs but they provide excellent support in equipment care and maintenance. I've not seen that level of customer care from any other provider of scopes."

DR TIM BEAUREGARD | SUMMERHILL EQUINE VETERINARY PARTNERSHIP LLP

What's included?

	 PREMIUM	 STANDARD	 SERVICE ONLY
Guaranteed LIKE FOR LIKE loan at no extra cost	✓	✗	✗
Annual service (incl. 1 iHUB/HDMI Pro box)	✓	✓	✓
Guaranteed trade-in after 5 years	✓	✓	✗
Remote support	✓	✓	✓



SPY COAST FARM
ESTABLISHED 2005



medequus
innovative veterinary solutions

TRUSTED BY RENOWNED VETERINARIANS WORLDWIDE



EU: +44 (0)1691 662 527
US: +1 (470) 5081969



info@medequus.com



uservice@medequususa.com



www.medequus.com



MED Equus Ltd | Unit 9 Artillery Business Park | Garrison Avenue | Oswestry | Shropshire | SY11 4AD